

Recommended Use

< 5.7% HYDROGEN In NITROGEN

Material Safety Data Sheet

PRODUCT AND COMPANY IDENTIFICATION

Product Name < 5.7% HYDROGEN In NITROGEN

Product Code(s) G-192

UN-No UN1956

Welding. Trade Name FORMIER 5

Supplier Address* Linde Gas North America LLC - Linde Merchant Production Inc. - Linde LLC

> 575 Mountain Ave. Murray Hill, NJ 07974 Phone: 908-464-8100 www.lindeus.com

Linde Gas Puerto Rico, Inc. Las Palmas Village Road No. 869, Street No. 7

Catano, Puerto Rico 00962 Phone: 787-641-7445 www.pr.lindegas.com

Linde Canada Limited 5860 Chedworth Way Mississauga, Ontario L5R 0A2 Phone: 905-501-1700 www.lindecanada.com

For additional product information contact your local customer service.

Chemical Emergency Phone Number

Chemtrec: 1-800-424-9300 for US/703-527-3887 outside US

2. HAZARDS IDENTIFICATION

WARNING!

Emergency Overview

Simple asphyxiant Contents under pressure Keep at temperatures below 52°C / 125°F

Appearance Colorless Physical State Compressed gas. Odor Odorless

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Health Effects

^{*} May include subsidiaries or affiliate companies/divisions.

Principle Routes of Exposure

Inhalation.

Acute Toxicity

Inhalation Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-

deficient atmosphere (<19.5%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or

death.

Eyes Contact with rapidly expanding gas near the point of release may cause frostbite.

Skin Contact with rapidly expanding gas near the point of release may cause frostbite.

Skin Absorption Hazard No known hazard by skin absorption.

Ingestion Not an expected route of exposure.

Chronic Effects None known.

Aggravated Medical

Conditions

None known.

Environmental Hazard See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Volume %	Chemical Formula
Nitrogen	7727-37-9	0-99	N ₂
Hydrogen	1333-74-0	< 5.7	H ₂

Additional information: Composition listed covers broad ranges rather than exact percentages for specific products.

4. FIRST AID MEASURES

Eye Contact If frostbite is suspected, flush eyes with cool water for 15 minutes and obtain immediate medical

attention.

Skin Contact For dermal contact or suspected frostbite, remove contaminated clothing and flush affected areas with

lukewarm water. DO NOT USE HOT WATER. A physican should see the patient promptly if contact with

the product has resulted in blistering of the dermal surface or in deep tissue freezing.

Inhalation PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF INHALATION OVEREXPOSURE. RESCUE

PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS. Conscious inhalation victims should be assisted to an uncontaminated area and inhale fresh air. If breathing is difficult, administer oxygen. Unconscious persons should be moved to an uncontaminated area and, as necessary, given artificial resuscitation and supplemental oxygen. Treatment should be symptomatic

and supportive.

Ingestion None under normal use. Get medical attention if symptoms occur.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties Not flammable. Hydrogen concentrations less than or equal to 5.7% in Nitrogen are considered non-

flammable (CGA Pamphlet P-23).

Suitable Extinguishing MediaUse extinguishing measures that are appropriate to local circumstances and the surrounding

environment.

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

Specific Hazards Arising from the

Chemical

 $\hbox{\it Cylinders may rupture under extreme heat. Continue to cool fire exposed cylinders until flames are}$

extinguished. Damaged cylinders should be handled only by specialists.

Protective Equipment and Precautions for Firefighters

As in any fire, we are self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or approved or a

equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment.

Monitor oxygen level.

Environmental Precautions Prevent spreading of vapors through sewers, ventilation systems and confined areas.

Methods for Containment Stop the flow of gas or remove cylinder to outdoor location if this can be done without risk. If leak is in

container or container valve, contact the appropriate emergency telephone number in Section 1 or call

your closest Linde location.

Methods for Cleaning Up Return cylinder to Linde or an authorized distributor.

Other Information Ventilate the area.

7. HANDLING AND STORAGE

Handling Use only in ventilated areas. Never attempt to lift a cylinder by its valve protection cap.

Protect cylinders from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distance, use a cart designed to transport cylinders. Use equipment rated for cylinder pressure. Use backflow preventive device in piping. Never insert an object (e.g. wrench, screwdriver, pry bar, etc.) into valve cap openings. Doing so may damage valve, causing leak to occur.

Use an adjustable strap wrench to remove over-tight or rusted caps. Close valve after each use and when empty. If user experiences any difficulty operating cylinder valve discontinue use and contact supplier.

Never put cylinders into trunks of cars or unventilated areas of passenger vehicles. Never attempt to refill a compressed gas cylinder without the owner's written consent. Never strike an arc on a compressed gas cylinder or make a cylinder a part of an electrical circuit.

For additional recommendations consult Compressed Gas Association's Pamphlets P-1 and Safety Bulletin SB-2.

Storage Protect from physical damage. Cylinders should be stored upright with valve protection cap in place

and firmly secured to prevent falling. Store in cool, dry, well-ventilated area of non-combustible construction away from heavily trafficked areas and emergency exits. Keep at temperatures below 52°C / 125°F. Full and empty cylinders should be segregrated. Use a "first in-first out" inventory system to prevent full cylinders from being stored for excessive periods of time. Always store and handle compressed gas cylinders in accordance with Compressed Gas Association, pamphlet CGA-P1,

Safe Handling of Compressed Gases in Containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure GuidelinesThis product does not contain any hazardous materials with occupational exposure limits established

by the region specific regulatory bodies.

Engineering MeasuresLocal exhaust ventilation to prevent accumulation of high concentrations and maintain air-oxygen

levels at or above 19.5%.

Ventilation Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Wear protective eyewear (safety glasses).

Skin and Body Protection Work gloves and safety shoes are recommended when handling cylinders.

Respiratory Protection

General Use No respiratory equipment is needed if workplace oxygen levels are kept above 19.5%.

Emergency UseUse positive pressure airline respirator with escape cylinder or self contained breathing apparatus for

oxygen-deficient atmospheres (<19.5%).

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

----,

9. PHYSICAL AND CHEMICAL PROPERTIES

Product Information

AppearanceColorless.OdorOdorless.Odor ThresholdNo information available.Physical StateCompressed gas

Flash Point Not applicable. **Autoignition Temperature** No information available.

Flammability Limits in Air

Upper Not applicable Lower Not applicable

The following information is for the NON-INERT components of this mixture:

Chemical Name	Boiling Point	Melting Point	Molecular	Evaporation	Water Solubility	Vapor Pressure	Vapor Density	Gas Density
			Weight	Rate			(Air=1)	Kg/m³@20°C
Hydrogen	-252.8 °C	-259.2 °C	1.00	-	0.019 (vol/vol @	Above critical	0.07	0.083
					20°C and 1 atm)	temperature		

The following information is for the INERT components that may be part of this mixture:

Chemical Name	Boiling Point	Melting Point	Molecular	Evaporation	Water Solubility	Vapor Pressure	Vapor Density	Gas Density
			Weight	Rate			(Air=1)	Kg/m³@20°C
Nitrogen	-196°C	-210 °C	28.01	-	0.023 (vol/vol @	Above critical	0.97	1.165
_					20°C and 1 atm)	temperature		

10. STABILITY AND REACTIVITY

Stability Stable.

Incompatible Products None known.

Conditions to Avoid None known.

Hazardous Decomposition

Products

None known.

Hazardous Polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

LD50 Oral: No information available.

LD50 Dermal: No information available.

LC50 Inhalation: No information available.

Repeated Dose ToxicityNo information available.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrogen		-	15000 ppm(Rat)1 h

Chronic Toxicity

Chronic Toxicity None known.

Carcinogenicity Contains no ingredient listed as a carcinogen.

IrritationNo information available.SensitizationNo information available.Reproductive ToxicityNo information available.

Developmental Toxicity Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and

experimental animals.

Synergistic Materials None known.

Target Organ Effects None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Ozone depletion potential; ODP; (R-11 = 1): Does not contain ozone depleting chemical (40 CFR Part 82).

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Do not attempt to dispose of residual waste or unused quantities. Return in the shipping container

PROPERLY LABELED WITH ANY VALVE OUTLET PLUGS OR CAPS SECURED AND VALVE PROTECTION CAP IN

PLACE to Linde for proper disposal.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name Compressed gas, n.o.s.

Hazard Class 2.2

Subsidiary Class

UN-No UN1956

Description UN1956,Compressed gas, n.o.s.(Nitrogen, Hydrogen),2.2

Emergency Response Guide Number 126

TDG

Proper Shipping Name Compressed gas, n.o.s.

Hazard Class 2.2

UN-No UN1956

Description UN1956,COMPRESSED GAS, N.O.S.,2.2

MEX

Proper Shipping NameCompressed gas, n.o.s.

Hazard Class 2.2 UN-No UN1956

Description UN1956 Compressed gas, n.o.s.(Nitrogen, Hydrogen),2.2

IATA

UN-No UN1956

Proper Shipping Name Compressed gas, n.o.s.

Hazard Class 2.2 ERG Code 2L

Description UN1956,Compressed gas, n.o.s.(Nitrogen, Hydrogen),2.2

Maximum Quantity for Passenger75 kgMaximum Quantity for Cargo Only150 kg

Limited QuantityNo information available.

IMDG/IMO

Proper Shipping Name Compressed gas, n.o.s.

 Hazard Class
 2.2

 UN-No
 UN1956

 EmS No.
 F-C, S-V

Description UN1956, Compressed gas, n.o.s.(Nitrogen, Hydrogen),2.2

ADR

Proper Shipping Name Compressed gas, n.o.s.

Hazard Class2.2UN-NoUN1956Classification Code1A

Description UN1956 Compressed gas, n.o.s.(Nitrogen, Hydrogen),2.2,

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL Complies
EINECS/ELINCS Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardYesReactive HazardNo

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Risk and Process Safety Management Programs

This material, as supplied, does not contain any regulated substances with specified thresholds under 40 CFR Part 68. This product does not contain any substances regulated as Highly Hazardous Chemicals pursuant to the 29 CFR Part 1910.110.

Chemical Name	U.S CAA (Clean Air Act) -	U.S CAA (Clean Air Act) -	U.S OSHA - Process Safety	
	Accidental Release Prevention -	Accidental Release Prevention -	Management - Highly Hazardous	
	Toxic Substances	Flammable Substances	Chemicals	
Hydrogen		10000 lbs		

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA/SARA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydrogen	Χ	Χ	Χ	-	Χ
Nitrogen	Χ	Χ	Х	-	Χ

International Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class A Compressed gases



16. OTHER INFORMATION

Prepared By Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501

Issuing Date 09-Jul-2010

Revision Date 04-Nov-2010

Revision Number 1

Revision Note (M)SDS sections updated. 1.

NFPAHealth Hazard 0Flammability 0Stability 0Physical and Chemical Hazards Simple asphyxiantHMISHealth Hazard 0Flammability 0Physical Hazard 3Personal Protection -

Note: Ratings were assigned in accordance with Compressed Gas Association (CGA) guidelines as published in CGA Pamphlet P-19-2009, CGA Recommended Hazard Ratings for Compressed Gases, 3rd Edition.

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between Linde LLC, Linde Merchant Production, Inc. or Linde Gas North America LLC (or any of their affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

End of Safety Data Sheet